

**Ficam W Insecticide**

Version 2.0      Revision Date: 26.04.2023      SDS Number: 11187340-00002      Date of last issue: 10.04.2023  
Date of first issue: 10.04.2023

---

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Ficam W Insecticide  
Product code : Article/SKU: 04209426 UVP: 05935598 Specification: 102000002338

**Manufacturer or supplier's details**

Company : 2022 Environmental Science AU Pty Ltd  
ABN 49 656 513 923  
Address : Suite 2.06, Level 2, 737 Burwood Road  
Hawthorn East, Australia 3123  
Telephone : (03) 7019 3839  
Emergency telephone number : +61 2 9037 2994

**Recommended use of the chemical and restrictions on use**


Recommended use : Insecticide  
Restrictions on use : Not applicable

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Acute toxicity (Oral) : Category 2  
Acute toxicity (Inhalation) : Category 2

**GHS label elements**

Hazard pictograms : 

Signal word : Danger  
Hazard statements : H300 + H330 Fatal if swallowed or if inhaled.

Precautionary statements : **Prevention:**  
P260 Do not breathe dust.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P284 Wear respiratory protection.

## Ficam W Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 10.04.2023
2.0	26.04.2023	11187340-00002	Date of first issue: 10.04.2023

**Response:**

P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

P320 Specific treatment is urgent (see supplemental first aid instructions on this label).

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

|| May form combustible dust concentrations in air.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

Chemical nature : Wettable powder (WP)

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Bendiocarb	22781-23-3	>= 60 -<= 100
Silica gel, precipitated, crystalline free	112926-00-8	< 10
Naphthalenesulfonic acid, butyl-, Methyl derivatives, sodium salts	68909-83-1	< 10
Alkylnaphthalenesulfonic acid, polymer with formaldehyde, sodium salt	68425-94-5	< 10

**SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention immediately.

In case of skin contact : Wash with water and soap.  
Get medical attention if symptoms occur.

In case of eye contact : If in eyes, rinse well with water.

## Ficam W Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 10.04.2023
2.0	26.04.2023	11187340-00002	Date of first issue: 10.04.2023

---

- Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.  
Call a physician or poison control centre immediately.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Salivation  
Bronchial hypersecretion  
Sweating  
Breathing difficulties  
Hypothermia  
Spasm  
Respiratory failure  
Respiratory paralysis  
Lowered blood pressure  
Nausea  
Temporary blurred vision due to contraction of the pupils (miosis) following contact with the eyes.  
Convulsions  
Somnolence  
Diarrhoea  
Vomiting  
Coma  
Fatal if swallowed or if inhaled.  
Contact with dust can cause mechanical irritation or drying of the skin.  
Dust contact with the eyes can lead to mechanical irritation.  
This product is a cholinesterase inhibitor carbamate.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Monitor: respiratory, cardiac and central nervous system.  
The product inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves.  
In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable.  
Oxygen or artificial respiration if needed.  
In case of convulsions, a benzodiazepine (e.g. diazepam) should be given according to standard regimens.  
Monitor: blood picture.  
Monitor: red blood cell and plasma cholinesterase.  
ECG - monitoring (Electrocardiogram).  
The following antidote is generally accepted: atropine.  
Contraindications: oximes (pralidoxime, obidoxime).  
Do not use oximes such as 2-PAM unless organophosphate intoxication is suspected.  
Contraindications: derivatives of morphine.  
Before antidote is administered, either clear symptoms of poi-

## Ficam W Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 10.04.2023
2.0	26.04.2023	11187340-00002	Date of first issue: 10.04.2023

---

soning have to be present or the cholinesterase activity is inhibited to below 30% of normal.  
 Watch for pulmonary edema, which may develop in serious cases of poisoning even after 24-48 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

---

### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray  
 Alcohol-resistant foam  
 Carbon dioxide (CO<sub>2</sub>)  
 Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
 Do not use a solid water stream as it may scatter and spread fire.  
 Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
 Nitrogen oxides (NO<sub>x</sub>)  
 Sulphur oxides  
 Metal oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
 Use water spray to cool unopened containers.  
 Remove undamaged containers from fire area if it is safe to do so.  
 Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
 Use personal protective equipment.
- Hazchem Code : 2X

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.  
 Only trained personnel should re-enter the area.  
 Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
 Prevent further leakage or spillage if safe to do so.  
 Retain and dispose of contaminated wash water.  
 Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for : Surround spill with absorbents and place a damp covering

## Ficam W Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 10.04.2023
2.0	26.04.2023	11187340-00002	Date of first issue: 10.04.2023

---

containment and cleaning up over the area to minimise entry of the material into the air. Add excess liquid to allow the material to enter into solution. Soak up with inert absorbent material. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### SECTION 7. HANDLING AND STORAGE

- |                             |   |   |
|-----------------------------|---|---|
| Technical measures          | : | Static electricity may accumulate and ignite suspended dust causing an explosion.<br>Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.  |
| Local/Total ventilation     | : | If sufficient ventilation is unavailable, use with local exhaust ventilation.   |
| Advice on safe handling     | : | Do not breathe dust.<br>Do not swallow.<br>Avoid contact with eyes.<br>Avoid prolonged or repeated contact with skin.<br>Wash skin thoroughly after handling.<br>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment<br>Keep container tightly closed.<br>Minimize dust generation and accumulation.<br>Keep container closed when not in use.<br>Keep away from heat and sources of ignition.<br>Take precautionary measures against static discharges.<br>Do not eat, drink or smoke when using this product.<br>Take care to prevent spills, waste and minimize release to the environment. |
| Hygiene measures            | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.<br>When using do not eat, drink or smoke.<br>Wash contaminated clothing before re-use.  |
| Conditions for safe storage | : | Keep in properly labelled containers.<br>Store locked up.<br>Keep tightly closed.<br>Keep in a cool, well-ventilated place.   |

## Ficam W Insecticide

Version 2.0      Revision Date: 26.04.2023      SDS Number: 11187340-00002      Date of last issue: 10.04.2023  
 Date of first issue: 10.04.2023

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
 Explosives

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Bendiocarb	22781-23-3	TWA (Inhalable fraction and vapor)	0.1 mg/m <sup>3</sup>	ACGIH
Silica gel, precipitated, crystalline free	112926-00-8	TWA	10 mg/m <sup>3</sup>	AU OEL

## Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Bendiocarb	22781-23-3	Acetylcholinesterase activity	In red blood cells	End of shift	70 % of an individual's baseline	ACGIH BEI
		Butyrylcholinesterase activity	In serum or plasma	End of shift	60 % of an individual's baseline	ACGIH BEI

**Engineering measures** : Minimize workplace exposure concentrations.  
 Apply measures to prevent dust explosions.  
 Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).  
 If sufficient ventilation is unavailable, use with local exhaust ventilation.

## Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

## Hand protection

Material : Nitrile rubber  
 Break through time : 480 min  
 Glove thickness : 0.4 mm  
 Protective index : Class 6

Remarks : Choose gloves to protect hands against chemicals depending

## Ficam W Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 10.04.2023
2.0	26.04.2023	11187340-00002	Date of first issue: 10.04.2023

---

on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:  
Safety goggles

Skin and body protection : Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Colour	:	beige
Odour	:	characteristic, very faint
Odour Threshold	:	No data available
pH	:	4.5 (23 °C) Concentration: 1 %
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form combustible dust concentrations in air.
Upper explosion limit / Upper flammability limit	:	Not applicable
Lower explosion limit / Lower flammability limit	:	30,000 mg/m <sup>3</sup>
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	No data available
Bulk density	:	ca. 250.000 kg/m <sup>3</sup>

## Ficam W Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 10.04.2023
2.0	26.04.2023	11187340-00002	Date of first issue: 10.04.2023

---

Solubility(ies)		
Water solubility	:	completely miscible
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	Not applicable
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive Method: OECD Test Guideline 113
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle size	:	No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form combustible dust concentrations in air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes	:	Inhalation Skin contact Ingestion Eye contact
-----------------	---	--

#### Acute toxicity

Fatal if swallowed or if inhaled.

#### **Product:**

Acute oral toxicity	:	LD50 (Rat, female): 50 mg/kg Method: OECD Test Guideline 423
---------------------	---	---



**Ficam W Insecticide**

Version 2.0      Revision Date: 26.04.2023      SDS Number: 11187340-00002      Date of last issue: 10.04.2023  
Date of first issue: 10.04.2023

---

Acute inhalation toxicity : LC50 (Rat, male): 0.31300 mg/l  
Exposure time: 6 h  
Test atmosphere: dust/mist  
Assessment: The component/mixture is highly toxic after short term inhalation.

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402

**Components:****Bendiocarb:**

Acute oral toxicity : LD50 (Rat): 25 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.55 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): 566 mg/kg

**Silica gel, precipitated, crystalline free:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 0.69 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg  
Remarks: Based on data from similar materials

**Naphthalenesulfonic acid, butyl-, Methyl derivatives, sodium salts:**

Acute oral toxicity : LD50 (Rat, male): 1,500 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Remarks: Based on data from similar materials

**Alkyl naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:**

Acute oral toxicity : LD50 (Rat): > 4,500 mg/kg

**Skin corrosion/irritation**

Not classified based on available information.

**Product:**

Species : Rabbit  
Result : No skin irritation

**Ficam W Insecticide**

Version            Revision Date:            SDS Number:            Date of last issue: 10.04.2023  
2.0                    26.04.2023                11187340-00002            Date of first issue: 10.04.2023

---

**Components:****Bendiocarb:**

Species                                : Rabbit  
Result                                    : No skin irritation

**Silica gel, precipitated, crystalline free:**

Species                                : Rabbit  
Method                                 : OECD Test Guideline 404  
Result                                    : No skin irritation  
Remarks                                : Based on data from similar materials

**Naphthalenesulfonic acid, butyl-, Methyl derivatives, sodium salts:**

Species                                : Rabbit  
Result                                    : No skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Product:**

Species                                : Rabbit  
Result                                    : No eye irritation

**Components:****Bendiocarb:**

Species                                : Rabbit  
Result                                    : No eye irritation

**Silica gel, precipitated, crystalline free:**

Species                                : Rabbit  
Result                                    : No eye irritation  
Method                                 : OECD Test Guideline 405  
Remarks                                : Based on data from similar materials

**Naphthalenesulfonic acid, butyl-, Methyl derivatives, sodium salts:**

Species                                : Rabbit  
Result                                    : Irritation to eyes, reversing within 21 days

**Alkyl naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:**

Result                                    : Irritation to eyes, reversing within 21 days

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

## Ficam W Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 10.04.2023
2.0	26.04.2023	11187340-00002	Date of first issue: 10.04.2023

---

### Components:

#### **Bendiocarb:**

Test Type	:	Buehler Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative

#### **Naphthalenesulfonic acid, butyl-, Methyl derivatives, sodium salts:**

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative
Remarks	:	Based on data from similar materials

### **Chronic toxicity**

#### **Germ cell mutagenicity**

Not classified based on available information.

### Components:

#### **Bendiocarb:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: In vitro mammalian cell gene mutation test Result: positive
		Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Method: OECD Test Guideline 482 Result: negative
		Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Application Route: Ingestion Result: negative
		Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Rat Application Route: Ingestion Method: OECD Test Guideline 475 Result: negative
		Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Rat

## Ficam W Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 10.04.2023
2.0	26.04.2023	11187340-00002	Date of first issue: 10.04.2023

---

Application Route: Ingestion  
Result: negative

### Silica gel, precipitated, crystalline free:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

### Naphthalenesulfonic acid, butyl-, Methyl derivatives, sodium salts:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

### Carcinogenicity

Not classified based on available information.

### Components:

#### Bendiocarb:

Species : Mouse  
Application Route : Ingestion  
Exposure time : 2 Years  
Method : OECD Test Guideline 453  
Result : negative

### Silica gel, precipitated, crystalline free:

Species : Rat  
Application Route : Ingestion  
Exposure time : 103 weeks  
Result : negative  
Remarks : Based on data from similar materials

### Reproductive toxicity

Not classified based on available information.

### Components:

#### Bendiocarb:

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Three-generation reproduction toxicity study  
Species: Rat

## Ficam W Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 10.04.2023
2.0	26.04.2023	11187340-00002	Date of first issue: 10.04.2023

---

Application Route: Ingestion

Result: negative

### Silica gel, precipitated, crystalline free:

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative  
 Remarks: Based on data from similar materials

### Naphthalenesulfonic acid, butyl-, Methyl derivatives, sodium salts:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
 Species: Rat  
 Application Route: Ingestion  
 Method: OECD Test Guideline 422  
 Result: negative  
 Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
 Species: Rat  
 Application Route: Ingestion  
 Method: OECD Test Guideline 422  
 Result: negative  
 Remarks: Based on data from similar materials

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

### Components:

#### **Bendiocarb:**

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

#### **Naphthalenesulfonic acid, butyl-, Methyl derivatives, sodium salts:**

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

### Repeated dose toxicity

#### Components:

#### **Bendiocarb:**

Species : Dog  
 NOAEL : 0.65 mg/kg  
 LOAEL : 3.12 mg/kg  
 Application Route : Ingestion

## Ficam W Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 10.04.2023
2.0	26.04.2023	11187340-00002	Date of first issue: 10.04.2023

---

Exposure time : 104 Weeks

### Silica gel, precipitated, crystalline free:

Species : Rat  
 NOAEL : > 4,500 mg/kg  
 Application Route : Ingestion  
 Exposure time : 90 Days  
 Remarks : Based on data from similar materials

### Naphthalenesulfonic acid, butyl-, Methyl derivatives, sodium salts:

Species : Rat  
 NOAEL : > 100 mg/kg  
 Application Route : Ingestion  
 Exposure time : 54 Days  
 Method : OECD Test Guideline 422  
 Remarks : Based on data from similar materials

### Aspiration toxicity

Not classified based on available information.

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### **Bendiocarb:**

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 0.86 mg/l  
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.0377 mg/l  
 Exposure time: 48 h  
 Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.408 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.087 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.07 mg/l  
 Exposure time: 78 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.000882 mg/l  
 Exposure time: 21 d

**Ficam W Insecticide**

Version	Revision Date:	SDS Number:	Date of last issue: 10.04.2023
2.0	26.04.2023	11187340-00002	Date of first issue: 10.04.2023

---

Toxicity to microorganisms : EC50 (activated sludge): 10.1 mg/l  
Exposure time: 3 h

**Silica gel, precipitated, crystalline free:**

Toxicity to fish : LL50 (Danio rerio (zebra fish)): > 10,000 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 1,000 mg/l  
Exposure time: 24 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EL50 (Scenedesmus subspicatus): > 10,000 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

**Naphthalenesulfonic acid, butyl-, Methyl derivatives, sodium salts:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10 - 100 mg/l  
Exposure time: 48 h  
Method: DIN 38412  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (activated sludge): > 100 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials

**Alkyl-naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 10 - 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

**Ficam W Insecticide**

Version	Revision Date:	SDS Number:	Date of last issue: 10.04.2023
2.0	26.04.2023	11187340-00002	Date of first issue: 10.04.2023

---

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Daphnia magna (Water flea)): > 1 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211  
Remarks: Based on data from similar materials

**Persistence and degradability****Components:****Naphthalenesulfonic acid, butyl-, Methyl derivatives, sodium salts:**

Biodegradability : Result: Not readily biodegradable.  
Remarks: Based on data from similar materials

**Alkyl-naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:**

Biodegradability : Result: Not readily biodegradable.  
Remarks: Based on data from similar materials

**Bioaccumulative potential****Components:****Bendiocarb:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 6

Partition coefficient: n-octanol/water : log Pow: 1.7

**Mobility in soil**

No data available

**Other adverse effects**

No data available



## Ficam W Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 10.04.2023
2.0	26.04.2023	11187340-00002	Date of first issue: 10.04.2023

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

- Waste from residues : It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local guidelines.  
Do not dispose of waste into sewer.
- Contaminated packaging : Follow advice on product label and/or leaflet.  
Empty containers retain residue and can be dangerous.  
Do not re-use empty containers.

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

- UN number : UN 2811
- Proper shipping name : TOXIC SOLID, ORGANIC, N.O.S.  
(Bendiocarb, Naphthalenesulfonic acid, butyl-, Methyl derivatives, sodium salts)
- Class : 6.1
- Packing group : II
- Labels : 6.1

##### IATA-DGR

- UN/ID No. : UN 2811
- Proper shipping name : Toxic solid, organic, n.o.s.  
(Bendiocarb, Naphthalenesulfonic acid, butyl-, Methyl derivatives, sodium salts)
- Class : 6.1
- Packing group : II
- Labels : Toxic
- Packing instruction (cargo aircraft) : 676
- Packing instruction (passenger aircraft) : 669

##### IMDG-Code

- UN number : UN 2811
- Proper shipping name : TOXIC SOLID, ORGANIC, N.O.S.  
(Bendiocarb, Naphthalenesulfonic acid, butyl-, Methyl derivatives, sodium salts)
- Class : 6.1
- Packing group : II
- Labels : 6.1
- EmS Code : F-A, S-A
- Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

## Ficam W Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 10.04.2023
2.0	26.04.2023	11187340-00002	Date of first issue: 10.04.2023

---

### ADG

UN number	:	UN 2811
Proper shipping name	:	TOXIC SOLID, ORGANIC, N.O.S. (Bendiocarb, Naphthalenesulfonic acid, butyl-, Methyl derivatives, sodium salts)
Class	:	6.1
Packing group	:	II
Labels	:	6.1
Hazchem Code	:	2X

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform Scheduling of Medicines and Poisons	:	Schedule 6
--	---	------------

Prohibition/Licensing Requirements	:	There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.
------------------------------------	---	---

Authorisation number	:	31988
Product Type	:	Insecticides, acaricides and products to control other arthropods
Active substance	:	80 % Bendiocarb

---

## SECTION 16. OTHER INFORMATION

### Further information

Revision Date	:	26.04.2023
---------------	---	------------

Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <a href="http://echa.europa.eu/">http://echa.europa.eu/</a>
---	---	---

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format	:	dd.mm.yyyy
-------------	---	------------

## Ficam W Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: 10.04.2023
2.0	26.04.2023	11187340-00002	Date of first issue: 10.04.2023

---

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
 ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)  
 AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.

ACGIH / TWA : 8-hour, time-weighted average  
 AU OEL / TWA : Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN